

**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT


NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Outokumpu Stainless Tubular Products Ltd.  
 MANUFACTURERS ADDRESS: 180 Laurier Blvd. Brockville ON. K6V 5T7  
 PLANT LOCATIONS: Brockville Ontario, Canada

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION
<input type="radio"/> (A) Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers	A/SA 403
<input type="radio"/> (B) Flanges: all flanges	A/SA 815
<input type="radio"/> (C) Valves: all line valves	ANSI B16.9
<input type="radio"/> (D) Expansion joints, flexible connections, and hose assemblies: all types	SP 43
<input type="radio"/> (E) Strainers, filters, separators, and steam traps	A/SA 774
<input type="radio"/> (F) Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters	
<input type="radio"/> (G) Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs	
<input type="radio"/> (H) Pressure retaining components that do not fall into one of the above categories	
<input type="radio"/> (N) Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)	

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	TYPE OF CONSTRUCTION
	FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:

24 & 6" Elbows, 18 x 16" Reducer, 12 x 6" Reducer, 12" Tee w/ caps Burst Proof Test.  
 Theoretical Burst Test Chart, OSTP Catalogue, ISO Certification

**DECLARATION:**  
 I KELIS PODSIAD (see note 3) employed by OSTP LTD. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ONE (Pointe Claire) as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]  
 Declared before me at City of Brockville  
 This day of January AD 2008  
 Commissioned Oaths & Notary Public (Sign) [Signature]  
 (Affix Official seal to the right)

USE THIS SPACE FOR THE OFFICIAL SEAL

This space for Regulatory Authority use  
 This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0A12096.5  
 HDN: 250

Notes:  
 1. All fittings shall be registered in the name of the Manufacturer.  
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

**ACCEPTED**

PROVIDE OF PRINCE EDWARD ISLAND  
 DEPT. OF PROVINCIAL AFFAIRS

CRN 0A12096.59  
 DATE March 19, 2008  
[Signature]  
 INSPECTION SERVICES DIVISION  
 BOILER/PRESSURE VESSEL BRANCH



**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES


NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Outokumpu Stainless Tubular Products Oy Ab

MANUFACTURERS ADDRESS: Nordanvagen 11, P.O. Box 15, FIN-68601 JAKOBSTAD, FINLAND

PLANT LOCATIONS: Jakobstad and Veteli, Finland

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION
<input checked="" type="radio"/> A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers	A/SA 774
<input type="radio"/> B Flanges: all flanges	A/SA 403
<input type="radio"/> C Valves: all line valves	ANSI B16.9
<input type="radio"/> D Expansion joints, flexible connections, and hose assemblies: all types	SP 43
<input type="radio"/> E Strainers, filters, separators, and steam traps	
<input type="radio"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters	
<input type="radio"/> G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs	
<input type="radio"/> H Pressure retaining components that do not fall into one of the above categories	
<input type="radio"/> N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> , (Meeting AECB or ASME requirements)	

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	TYPE OF CONSTRUCTION
	FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:

8" Sch10 Burst Proof Test.  
Theoretical Burst Test Chart, OSTP Catalogue, ISO Certification

DECLARATION: Bengt Råbacka and Ben Svensfors  
 I, (see note 3) employed by OSTP Oy Ab and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by TUV Cert Body as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: *Bengt Råbacka*

Declared before me at \_\_\_\_\_

This \_\_\_\_\_ day of \_\_\_\_\_ AD \_\_\_\_\_

Commissioner of Oaths  
or Notary Public: (sign) \_\_\_\_\_

USE THIS SPACE FOR THE  
OFFICIAL SEAL

(Affix Official seal to the right)

This space for Regulatory Authority use	
This registration must be revalidated after ten (10) years from the date of acceptance.	
CRN: <u>0A12096.5</u>	<p align="center"><i>Bengt Råbacka &amp; Ben Svensfors</i></p> <p align="center"><i>Outokumpu Stainless Tubular Products</i></p> <p align="center"><i>24 Feb 08</i></p> <p align="right"><i>59 46</i></p>
FID#: <u>250</u>	
Notes: 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.	

PROVINCE OF PRINCE EDWARD ISLAND  
DEPT. OF PROVINCIAL AFFAIRS

CRN 0A12096.59      NO = 23/2008  
 DATE March 14 2008      Fee: 6,50 €

INSPECTION SERVICES DIVISION  
BOILER/PRESSURE VESSEL BRANCH

**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Outokumpu Stainless Tubular Products Oy Ab

MANUFACTURERS ADDRESS: Viktoriaesplanaden 10, Box 203 SE-891 25 Ornskoldvik, Sweden

PLANT LOCATIONS: Ornskoldvik, Sweden

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION
<input checked="" type="radio"/> A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers	A/SA 774
<input type="radio"/> B Flanges: all flanges	A/SA 403
<input type="radio"/> C Valves: all line valves	A/SA 815
<input type="radio"/> D Expansion joints, flexible connections, and hose assemblies: all types	ANSI B16.9
<input type="radio"/> E Strainers, filters, separators, and steam traps	SP 43
<input type="radio"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters	
<input type="radio"/> G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs	
<input type="radio"/> H Pressure retaining components that do not fall into one of the above categories	
<input type="radio"/> N Nuclear-components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)	

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	TYPE OF CONSTRUCTION
	FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:

**LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:**

24 & 6" Elbows, 18 x 16" Reducer, 12" Tee w/ caps Burst Proof Test.  
Theoretical Burst Test Chart, OSTP Catalogue, ISO Certification

**DECLARATION:**  
 I, B. A. Sundstrom (see note 3) employed by Outokumpu and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by Outokumpu as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]  
 Declared before me at [Signature]  
 This 15th day of February AD 2008  
 Commissioner of Oaths or Notary Public: [Signature]



This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0A12096.5

FID#: 250

**ACCEPTED**

PROVINCE OF PRINCE EDWARD ISLAND  
DEPT. OF PROVINCIAL AFFAIRS

ORN 0A12096.59  
 DATE March 14, 2008  
[Signature]

INSPECTION SERVICES DIVISION  
BOILER/PRESSURE VESSEL BRANCH

**Notes:**  
 1. All fittings shall be registered in the name of the Manufacturer.  
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR


MANUFACTURERS NAME: Ourokumpu Stainless Tubular Products Oy Ab

MANUFACTURERS ADDRESS: Viktoriaaplanaden 10, Box 203 SE-891 25 Ornskoldvik, Sweden

PLANT LOCATIONS: Ornskoldvik, Sweden

CATEGORY OF FITTINGS TO BE REGISTERED. <u>CIRCLE ONE CATEGORY ONLY</u>	TITLE OF THE STANDARD OF CONSTRUCTION
<input checked="" type="checkbox"/> A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers	A/SA 774
<input type="checkbox"/> B Flanges: all flanges	A/SA 403
<input type="checkbox"/> C Valves: all line valves	A/SA 815
<input type="checkbox"/> D Expansion joints, flexible connections, and hose assemblies: all types	ANSI B16.9
<input type="checkbox"/> E Strainers, filters, separators, and steam traps	SP 43
<input type="checkbox"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levelts, or pressure transmitters	
<input type="checkbox"/> G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs	
<input type="checkbox"/> H Pressure retaining components that do not fall into one of the above categories	
<input type="checkbox"/> N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)	

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT



TYPE OF CONSTRUCTION  
FORGED  WELDED  WROUGHT   
SAKT  OTHER   
DESCRIBE OTHER: \_\_\_\_\_

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED

24 & 6" Elbows, 18 x 16" Reducer, 12" Tee w/ caps Burst Proof Test.  
Theoretical Burst Test Chart, OSTP Catalogue, ISO Certification

DECLARATION: I, ~~John Smith~~ (see note 2) employed by Ourokumpu Oy Ab and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by TIM CAHILL as being suitable for that purpose. I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]  
Declared before me at Ornskoldvik  
This 18th day of February AD 2008  
Commissioner of Oaths or Notary Public: (sign) [Signature]



This space for Regulatory Authority use  
This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0A12096.5  
FDN: 250

- Notes:
- All fittings shall be registered in the name of the Manufacturer.
  - Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
  - The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
  - Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

BOILER & PRESSURE VESSEL  
NOVA SCOTIA

Date: March 14/08  
C.R.N. 0A12096.58  
Dwg. as described  
Signed: [Signature]  
... of ...  
Part  
ACT & REGULATIONS

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES


NEWFOUNDLAND AND LABRADOR

MANUFACTURER'S NAME: Outokumpu Stainless Tubular Products Ltd.  
 MANUFACTURER'S ADDRESS: 180 Laurier Blvd. Brockville ON, K6V 5T7  
 PLANT LOCATIONS: Brockville Ontario, Canada

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY

<input checked="" type="checkbox"/> A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers	TITLE OF THE STANDARD OR CONSTRUCTION A/SA 403 A/SA 815 ANSI B16.9 SP 43 A/SA 774
<input type="checkbox"/> B Flanges: all flanges	
<input type="checkbox"/> C Valves: all valves	
<input type="checkbox"/> D Expansion joints, flexible connections, and hose assemblies: all types	
<input type="checkbox"/> E Strainers, filters, separators, and steam traps	
<input type="checkbox"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters	
<input type="checkbox"/> G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs	
<input type="checkbox"/> H Pressure retaining components that do not fall into any of the above categories	
<input type="checkbox"/> N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)	

SHOW MANUFACTURER'S NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT



TYPE OF CONSTRUCTION  
 FORGED  WELDED  WROUGHT   
 CAST  OTHER   
 DESCRIBE OTHER:

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:

24 & 6" Elbows, 18 x 16" Reducer, 12 x 6" Reducer, 12" Tee w/ caps Burst Proof Test.  
 Theoretical Burst Test Chart, OSTP Catalogue, ISO Certification

DECLARATION: I, Kris Popsiad (one name) employed by OSTP LTD. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by QAI (PRINCE EDWARD ISLAND) as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]  
 at City of Brockville  
 day of January AD 2008  
[Signature]  
 (Affix Official seal to the right)

USE THIS SPACE FOR THE OFFICIAL SEAL

This registration must be revalidated after ten (10) years from the date of acceptance.

C.R.N. QA12096-5  
250

- Notes:
- All fittings shall be registered in the name of the Manufacturer.
  - Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
  - The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
  - Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

BOILER & PRESSURE VESSEL  
NOVA SCOTIA

Date March 14/08

C.R.N. QA12096-58

Dwg. as described

Signed Yvonne Perry

OF 1  
Part  
ACT & REGULATIONS

MANUFACTURERS NAME: Outokumpu Stainless Tubular Products Oy Ab

MANUFACTURERS ADDRESS: Nordanvagen 11, P.O. Box 15, FIN-68601 JAKOBSTAD, FINLAND


PLANT LOCATIONS: Jakobstad and Veteli, Finland

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY

A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers  
 B Flanges: all flanges  
 C Valves: all line valves  
 D Expansion joints, flexible connections, and hose assemblies: all types  
 E Strainers, filters, separators, and steam traps  
 F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters  
 G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fuel gas plugs  
 H Pressure retaining components that do not fall into one of the above categories  
 N Nuclear components: Class 1  Class 2  Class 3  (Meeting AECB or ASME requirements)

TITLE OF THE STANDARD OF CONSTRUCTION  
 A/SA 774  
 A/SA 403  
 ANSI B16.9  
 SP 43

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT



TYPE OF CONSTRUCTION  
 FORGED  WELDED  WROUGHT   
 CAST  OTHER   
 DESCRIBE OTHER:

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:

8" Sch10 Burst Proof Test.  
 Theoretical Burst Test Chart, OSTP Catalogue, ISO Certification

DECLARATION: Bengt Rabacka and Ben Sventors  
 (see note 3) employed by OSTP Oy Ab and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by TUV Cert Body as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]  
 Declared before me at \_\_\_\_\_  
 This \_\_\_\_\_ day of \_\_\_\_\_ AD \_\_\_\_\_

Commissioner of Oaths  
 or Notary Public: (sign) \_\_\_\_\_

(Affix Official seal to the right)

USE THIS SPACE FOR THE  
 OFFICIAL SEAL


This space for Regulatory Authority use  
 This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0A12096-5  
 FID#: 250

Notes:  
 1. All fittings shall be registered in the name of the Manufacturer.  
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

Bengt Rabacka & Ben Sventors  
Outokumpu Stainless Tubular Products Oy Ab  
 24 Feb 08

No: 23/2008  
 Fee: 6,50 €



CRN: 0A12096-58  
 DWG: as described  
 Signed Yvonne Perry  
 1 of 1 Part  
 ACT & REGULATIONS


**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON


PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>Outokumpu Stainless Tubular Products Ov Ab</u>	
MANUFACTURERS ADDRESS: <u>Nordanvagen 11, P.O. Box 15, FIN-68601 JAKOBSTAD, FINLAND</u>	
PLANT LOCATIONS: <u>Jakobstad and Veteli, Finland</u>	
<p align="center"><b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b></p> <p><input checked="" type="radio"/> (A) Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p><input type="radio"/> (B) Flanges: all flanges</p> <p><input type="radio"/> (C) Valves: all line valves</p> <p><input type="radio"/> (D) Expansion joints, flexible connections, and hose assemblies: all types</p> <p><input type="radio"/> (E) Strainers, filters, separators, and steam traps</p> <p><input type="radio"/> (F) Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p><input type="radio"/> (G) Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p><input type="radio"/> (H) Pressure retaining components that do not fall into one of the above categories</p> <p><input type="radio"/> (N) Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)</p>	<p align="center"><b>TITLE OF THE STANDARD OF CONSTRUCTION</b></p> <p>A/SA 774 A/SA 403 ANSI B16.9 SP 43</p>
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
	
<p align="center"><b>TYPE OF CONSTRUCTION</b></p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:</p>	

**LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:**

8" Sch10 Burst Proof Test.  
Theoretical Burst Test Chart, OSTP Catalogue, ISO Certification



**DECLARATION:** Bengt Rabacka and Ben Svanfors  
I (see note 3) employed by OSTP Oy Ab and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by TUV Cert Body as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]  
 Declared before me at \_\_\_\_\_  
 This \_\_\_\_\_ day of \_\_\_\_\_ AD \_\_\_\_\_  
 Commissioner of Oaths  
 or Notary Public: (sign) \_\_\_\_\_  
 (Affix Official seal to the right)

REGISTRATION  
 USE CRNS 0A12096-57  
 OFFICIAL SEAL  
 EXAMINER: [Signature]  
 for  
 CHIEF BOILER INSPECTOR

This space for Regulatory Authority use  
 This registration must be revalidated after ten (10) years from the date of acceptance

DATE: 03/13/08

CRN: 0A12096-5  
 FID#: 250

Notes:  
 1. All fittings shall be registered in the name of the Manufacturer.  
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

FITTINGS  
 COMPONENTS  
Outokumpu Stainless Tubular Products  
7th Feb 08  
[Signature]

No = 23/2008  
 Fee: 6,00 €

**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Outokumpu Stainless Tubular Products Ltd.  
 MANUFACTURERS ADDRESS: 180 Laurier Blvd. Brockville ON. K6V 5T7  
 PLANT LOCATIONS: Brockville Ontario, Canada

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION
<input checked="" type="radio"/> (A) Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers <input type="radio"/> (B) Flanges: all flanges <input type="radio"/> (C) Valves: all line valves <input type="radio"/> (D) Expansion joints, flexible connections, and hose assemblies: all types <input type="radio"/> (E) Strainers, filters, separators, and steam traps <input type="radio"/> (F) Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters <input type="radio"/> (G) Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs <input type="radio"/> (H) Pressure retaining components that do not fall into one of the above categories <input type="radio"/> (N) Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)	A/SA 403 A/SA 815 ANSI B16.9 SP 43 A/SA 774

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT






TYPE OF CONSTRUCTION  
 FORGED  WELDED  WROUGHT   
 CAST  OTHER   
 DESCRIBE OTHER:

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:

24 & 6" Elbows, 18 x 16" Reducer, 12 x 6" Reducer, 12" Tee w/ caps Burst Proof Test.  
 Theoretical Burst Test Chart, OSTP Catalogue, ISO Certification

DECLARATION:  
 I, KRIS PODSIAD (see note 3) employed by OSTP LTD. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by QNT (PONTIAC) as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer:   
 Declared before me at City of Brockville  
 on the 13 day of January AD 2008  
 Commissioned Notary Public (Signature)   
 (Affix Official seal to the right)



This space for Regulatory Authority use  
 This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0A12096.5  
 HD#: 250

Notes:  
 1. All fittings shall be registered in the name of the Manufacturer.  
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

DEPT. OF PUBLIC SAFETY  
 BOILER & PRESSURE VESSEL ACT  
 REGISTRATION  
 CRN 0A12096.57  
 EXAMINER: John E. Roberts  
 for  
 CHIEF BOILER INSPECTOR  
 DATE: 03/13/08

DATE: 03/13/08

FLANGES  FITTINGS  COMPONENTS


**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON


PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>Outokumpu Stainless Tubular Products Ov Ab</u>	
MANUFACTURERS ADDRESS: <u>Viktoriaesplanaden 10, Box 203 SE-891 25 Ornskoldvik, Sweden</u>	
PLANT LOCATIONS: <u>Ornskoldvik, Sweden</u>	
<b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b>	
<p><input type="radio"/> A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p><input type="radio"/> B Flanges: all flanges</p> <p><input type="radio"/> C Valves: all line valves</p> <p><input type="radio"/> D Expansion joints, flexible connections, and hose assemblies: all types</p> <p><input type="radio"/> E Strainers, filters, separators, and steam traps</p> <p><input type="radio"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p><input type="radio"/> G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p><input type="radio"/> H Pressure retaining components that do not fall into one of the above categories</p> <p><input type="radio"/> N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)</p>	<p>TITLE OF THE STANDARD OF CONSTRUCTION</p> <p>A/SA 774</p> <p>A/SA 403</p> <p>A/SA 815</p> <p>ANSI B16.9</p> <p>SP 43</p>
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
	
TYPE OF CONSTRUCTION	
FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:	
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:	
24 & 6" Elbows, 18 x 16" Reducer, 12" Tee w/ caps Burst Proof Test. Theoretical Burst Test Chart, OSTP Catalogue, ISO Certification	

**DECLARATION:**  
 I, Benjamin (see note 3) employed by Outokumpu and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by Benjamin as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Benjamin  
 Declared before me at Amherst  
 This 20th day of February AD 2006  
 Commissioner of Oaths or Notary Public: Janette Pichon



This space for Regulatory Authority use  
 This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0A12096.5  
 FID#: 250

Notes:  
 1. All fittings shall be registered in the name of the Manufacturer.  
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

PROVINCIAL DEPT. OF PUBLIC SAFETY  
 BOILER & PRESSURE VESSEL ACT  
 REGISTRATION NO. 1  
 CRN 0A12096.5  
 EXAMINER: Walter E. Ross  
 for  
 CHIEF BOILER INSPECTOR  
 DATE 03/13/08  
 FLANGES       COMPONENTS  
 FITTINGS

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK NOVA SCOTIA PRINCE EDWARD ISLAND NEWFOUNDLAND AND LABRADOR
NUNAVUT YUKON NORTHWEST TERRITORIES

MANUFACTURERS NAME: Outokumpu Stainless Tubular Products Oy Ab
MANUFACTURERS ADDRESS: Viktoriasplanaden 10, Box 203 SE-891 25 Omskoldvik, Sweden

PLANT LOCATIONS: Omskoldvik, Sweden

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY
(A) Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
(B) Flanges: all flanges
(C) Valves: all line valves
(D) Expansion joints, flexible connections, and hose assemblies: all types
(E) Strainers, filters, separators, and steam traps
(F) Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
(G) Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
(H) Pressure retaining components that do not fall into one of the above categories
(N) Nuclear components: Class 1 [ ] Class 2 [ ] Class 3 [ ] (Meeting AECB or ASME requirements)

TITLE OF THE STANDARD OF CONSTRUCTION
ASA 774
ASA 403
ASA 815
ANSI B16.9
SP 43

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT



TYPE OF CONSTRUCTION
Forged [ ] WELDED [ ] WROUGHT [ ]
CAST [ ] OTHER [ ]
DESCRIBE OTHER:

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:

24 & 6" Elbows, 18 x 16" Reducer, 12" Tee w/ caps Burst Proof Test.
Theoretical Burst Test Chart, OSTP Catalogue, ISO Certification

DECLARATION: I, A. Sundstrom, (your name) employed by Outokumpu and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by T. Lehtinen as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]
Declared before me at [Location]
This [Date] day of [Month] AD [Year]
Commissioner of Oaths or Notary Public: [Signature]



This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of acceptance.
CRN: 0A12096.5
FID#: 250
GOVERNMENT OF NEWFOUNDLAND AND LABRADOR
Department of Government Services
Registered 0A12096.50
Date 3/22/2008
GOVERNMENT SERVICE CENTRE
Engineering and Inspection Services
Registered by [Signature]
UNDER THE AUTHORITY OF THE PUBLIC SAFETY ACT AND THE BOILER, PRESSURE VESSEL AND COMPRESSED GAS REGULATIONS

- Notes:
1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR


MANUFACTURERS NAME: Outokumpu Stainless Tubular Products Ltd.  
 MANUFACTURERS ADDRESS: 180 Laurier Blvd. Brockville ON. K6V 5T7  
 PLANT LOCATIONS: Brockville Ontario, Canada

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY

A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers  
 B Flanges: all flanges  
 C Valves: oil line valves  
 D Expansion joints, flexible connections, and hose assemblies: all types  
 E Strainers, filters, separators, and steam traps  
 F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters  
 G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs  
 H Pressure retaining components that do not fall into one of the above categories  
 N Nuclear components: Class 1  Class 2  Class 3  (Meeting AECB or ASME requirements)

TITLE OF THE STANDARD OF CONSTRUCTION  
A/SA 403  
A/SA 815  
ANSI B16.9  
SP 43  
A/SA 774

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT



TITLE OF CONSTRUCTION  
 FORGED  WELDED  WROUGHT   
 CAST  OTHER   
 DESCRIBE OTHER:

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:

24 & 6" Elbows, 18 x 16" Reducer, 12 x 6" Reducer, 12" Tee w/ caps Burst Proof Test.  
 Theoretical Burst Test Chart, OSTP Catalogue, ISO Certification

DECLARATION:  
K. B. PODSIAD (see note 2) employed by OSTP LTD. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by QMS (BENTON CLARK) as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]  
 at City of Brockville  
 on January AD 2008  
[Signature]  
 (Affix Official seal to the right)

USE THIS SPACE FOR THE OFFICIAL SEAL

This space for Regulatory Authority use  
 This registration must be revalidated after ten (10) years from the date of acceptance

0A12096.5  
250

**GOVERNMENT OF  
NEWFOUNDLAND  
AND LABRADOR**

Department of  
Government Services

Registered 0A12096.50  
 Date 3/22/2008

**GOVERNMENT SERVICE CENTRE  
Engineering and Inspection Services**

Registered by [Signature]

**UNDER THE AUTHORITY OF THE  
PUBLIC SAFETY ACT AND  
THE BOILER, PRESSURE VESSEL AND  
COMPRESSED GAS REGULATIONS**

- Notes:
- All fittings shall be registered in the name of the Manufacturer.
  - Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
  - The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
  - Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK NOVA SCOTIA PRINCE EDWARD ISLAND NEWFOUNDLAND AND LABRADOR
NUNAVUT YUKON NORTHWEST TERRITORIES

MANUFACTURERS NAME: Outokumpu Stainless Tubular Products Oy Ab

MANUFACTURERS ADDRESS: Nordenvägen 11, P.O. Box 15, FIN-68601 JAKOBSTAD, FINLAND

PLANT LOCATIONS: Jakobstad and Veteli, Finland

- CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY
(A) Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
(B) Flanges: all flanges
(C) Valves: all line valves
(D) Expansion joints, flexible connections, and hose assemblies: all types
(E) Strainers, filters, separators, and steam traps
(F) Measuring devices, including pressure gauges, level gauges, sight glasses, floats, or pressure transmitters
(G) Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
(H) Pressure retaining components that do not fall into one of the above categories
(N) Nuclear components: Class 1 Class 2 Class 3 (Meeting AECB or ASME requirements)

TITLE OF THE STANDARD OF CONSTRUCTION
A/SA 774
A/SA 403
ANSI B16.9
SP 43

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT



TYPE OF CONSTRUCTION
FORGED WELDED WROUGHT
CAST OTHER
DESCRIBE OTHER

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:

8" Sch10 Burst Proof Test.
Theoretical Burst Test Chart, OSTP Catalogue, ISO Certification

DECLARATION: Bengt Rabacka and Ben Sventors
(emphatic) employed by OSTP Oy Ab and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by TUV Cert Body as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]
Declared before me at
This day of AD
Commissioner of Oaths or Notary Public: (sign)

GOVERNMENT OF NEWFOUNDLAND AND LABRADOR
OFFICIAL SEAL
Department of Government Services
Registered DA12096.50
Date 3/22/2008

This space for Regulatory Authority use
This registration must be revalidated after ten (10) years from the date of approval.
CRN: 0A12096.5
FID#: 250
Notes:
1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.
Registered by Bengt Rabacka
THE BOILER, PRESSURE VESSEL AND COMPRESSED GAS REGULATIONS
7th Feb 08

NO = 23/2008
Fee = 6,50 €

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK NOVA SCOTIA PRINCE EDWARD ISLAND NEWFOUNDLAND AND LABRADOR  
NUNAVUT YUKON NORTHWEST TERRITORIES

MANUFACTURERS NAME: Outokumpu Stainless Tubular Products Ltd.

MANUFACTURERS ADDRESS: 180 Laurier Blvd. Brockville ON. K6V 5T7

PLANT LOCATIONS: Brockville Ontario, Canada

CATEGORY OF FITTING TO BE REGISTERED. SINGLE ONE CATEGORY ONLY

- A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
- B Flanges: all flanges
- C Valves: all line valves
- D Expansion joints, flexible connections, and hose assemblies: all types
- E Strainers, filters, separators, and steam traps
- F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
- G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
- H Pressure retaining components that do not fall into one of the above categories
- N Nuclear components: Class 1  Class 2  Class 3 G. (Meeting ASCE or ASME requirements)

TITLE OF THE APPLICANT'S REGISTRATION  
A/SA 403  
A/SA 815  
ANSI B16.9  
SP 43  
A/SA 774

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT



TYPE OF CONSTRUCTION  
FORGED  WELDED  WROUGHT   
CAST  OTHER   
PRECAST OTHER:

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:


24 & 6" Elbows, 18 x 16" Reducer, 12 x 6" Reducer, 12" Tee w/ caps Burst Proof Test.  
Theoretical Burst Test Chart, OSTP Catalogue, ISO Certification

DECLARATION: I, Kris Rodsiao (see note 4) employed by OSTP LTD. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by QMS (Pentecore) as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature: [Signature]  
at City of Brockville  
City of January AD 2008  
[Signature]  
(Affix Official seal to the right)

USE THIS SPACE FOR THE OFFICIAL SEAL

This space for Regulatory Authority use  
This registration must be revalidated after ten (10) years from the date of acceptance.



- Notes:
- All fittings shall be registered in the name of the Manufacturer.
  - Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
  - The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
  - Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK NOVA SCOTIA PRINCE EDWARD ISLAND NEWFOUNDLAND AND LABRADOR
NUNAVUT YUKON NORTHWEST TERRITORIES

MANUFACTURER'S NAME: Outokumpu Stainless Tubular Products Oy Ab
MANUFACTURER'S ADDRESS: Nordnavigen 11, P.O. Box 15, FIN-68601 JAKOBSTAD, FINLAND
PLANT LOCATIONS: Jakobstad and Veteli, Finland
CATEGORY OF FITTINGS TO BE REGISTERED: CIRCLE ONE CATEGORY ONLY
TITLE OF THE STANDARD OF CONSTRUCTION: A/SA 774, A/SA 403, ANSI B16.9, SP 43
TYPE OF CONSTRUCTION: FORGED, WELDED, WROUGHT, CAST, OTHER



LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:


8" Sch10 Burst Proof Test.
Theoretical Burst Test Chart, OSTP Catalogue, ISO Certification

DECLARATION: Bengt Rabacka and Ben Sventors
I, (Name title) employed by OSTP Oy Ab and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought.

Signature of Declarer: [Handwritten Signature]
Declared before me at \_\_\_\_\_
This \_\_\_\_\_ day of \_\_\_\_\_ AD \_\_\_\_\_
Commissioner of Oaths or Notary Public: (sign) \_\_\_\_\_

USE THIS SPACE FOR THE OFFICIAL SEAL

This space for Regulatory Authority use
This registration must be revalidated after ten (10) years from the date of acceptance.
CRN: 0A12096-5
FID#: 250
Notes: 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.



03-18-'08 07:37 FROM-ACI CENTRAL INC

9025663133

T-025 P016/018 F-784

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK  
NUMAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Outokumpu Stainless Tubular Products Oy Ab

MANUFACTURERS ADDRESS: Viktoriaesplanaden 10, Box 203 SE-891 25 Ornskoldsvik, Sweden


PLANT LOCATIONS: Ornskoldsvik, Sweden

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY

A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers  
 B Flanges: all flanges  
 C Valves: all line valves  
 D Expansion joints, flexible connections, and hose assemblies: all types  
 E Strainers, filters, separators, and steam traps  
 F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters  
 G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs  
 H Pressure retaining components that do not fall into one of the above categories  
 I Nuclear components: Class 1  Class 2  Class 3 . (Meeting AECB or ASME requirements)

TITLE OF THE STANDARD OF CONSTRUCTION  
 A/SA 774  
 A/SA 403  
 A/SA 815  
 ANSI B16.9  
 SP 43

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT



FORGED  WELDED  WROUGHT   
 CAST  OTHER   
 SPECIFY OTHER:

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:

24 & 6" Elbows, 18 x 16" Reducer, 12" Tee w/ caps Burst Proof Test.  
 Theoretical Burst Test Chart, OSTP Catalogue, ISO Certification

DECLARATION:  
I, Anders Lindström (see note 2) employed by Outokumpu Oy and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by AVI Certification as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made by oath.

Signature of Declarer: [Signature]  
 Declared before me at Ornskoldsvik  
 This 16th day of February AD 2008  
 Commissioner of Oaths or Notary Public: (sign) [Signature]  
 (Affix Official seal to the right)



This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0A12096.5  
 FID#: 250

Notes:  
 1. All fittings shall be registered in the name of the Manufacturer.  
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK NOVA SCOTIA PRINCE EDWARD ISLAND NEWFOUNDLAND AND LABRADOR  
 NUUNAVUT YUKON NORTHWEST TERRITORIES

MANUFACTURERS NAME: Outokumpu Stainless Tubular Products Oy Ab  
 MANUFACTURERS ADDRESS: Viktoriasplanaden 10, Box 203 SE-891 25 Omskoldvik, Sweden

PLANT LOCATION: Omskoldvik, Sweden  
 CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY

- A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
- B Flanges: all flanges
- C Valves: all line valves
- D Expansion joints, flexible connections, and hose assemblies: all types
- E Strainers, filters, separators, and steam traps
- F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
- G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and flexible plugs
- H Pressure retaining components that do not fall into one of the above categories
- N Nuclear components: Class 1  Class 2  Class 3  (Meeting AECB or ASME requirements)

TITLE OF THE STATUTORY DECLARATION  
 A/SA 774  
 A/SA 403  
 A/SA 815  
 ANSI B16.9  
 SP 43

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT



TYPE OF CONSTRUCTION  
 FORGED  WELDED  WROUGHT   
 CAST  OTHER   
 DESCRIBE OTHER:

**LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:**

24 & 6" Elbows, 18 x 16" Reducer, 12" Tee w/ caps Burst Proof Test.  
 Theoretical Burst Test Chart, OSTP Catalogue, ISO Certification

DECLARATION: I, Anders Carlsson (see note 2) employed by Outokumpu Oy Ab and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by my certification as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]  
 Declared before me at Omskoldvik  
 This 15th day of February AD 2008  
 Commissioner of Oaths or Notary Public: (sign) [Signature]  
 (Affix Official seal to the right)



This registration must be revalidated after ten (10) years from the date of registration  
 Northwest Territories

GRN: 0A12096.5  
 FID: 250

Notes:  
 1. All fittings shall be registered in the name of the Manufacturer.  
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

REGISTERED  
 UNDER THE AUTHORITY OF  
 THE BOILER AND PRESSURE  
 VESSEL ACT  
 C.R.N. 0A12096.5  
 SIGNED [Signature]  
 DATE February 28, 2008

**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK NOVA SCOTIA PRINCE EDWARD ISLAND NEWFOUNDLAND AND LABRADOR  
 NUNAVUT YUKON NORTHWEST TERRITORIES

**MANUFACTURER'S NAME:** Ontokoumou Stainless Tubular Products Ltd.  
**MANUFACTURER'S ADDRESS:** 180 Laurier Blvd. Brockville ON, K6V 3T7  
**PLANT LOCATION:** Brockville Ontario, Canada

**CATEGORY OF FITTING TO BE REGISTERED. (CIRCLE ONE CATEGORY ONLY)**

(A) Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers  
 (B) Flanges: all flanges  
 (C) Valves: all line valves  
 (D) Expansion joints, flexible connections, and hose assemblies: all types  
 (E) Strainers, filters, separators, and steam traps  
 (F) Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters  
 (G) Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs  
 (H) Pressure retaining components that do not fall into one of the above categories  
 (N) Nuclear components: Class 1  Class 2  Class 3 . (Meeting ASME or ASME requirements)

**TITLE OF THE STANDARD OF CONSTRUCTION:**  
 A/SA 403  
 A/SA 815  
 ANSI B16.9  
 SP 43  
 A/SA 774

**SHOW MANUFACTURER'S NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT:**

**TYPE OF CONSTRUCTION:**  
 FORGED  WELDED  WROUGHT   
 DRY  OTHER   
 DESCRIBE OTHER: \_\_\_\_\_

**OUTOKUMOU**


**LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:**

24 & 6" Elbows, 18 x 16" Reducer, 12 x 6" Reducer, 12" Tee w/ caps Burst Proof Test.  
 Theoretical Burst Test Chart, OSTP Catalogue, ISO Certification

**DECLARATION:**  
 I, Kris Rodstad (last name) employed by OSTP LTD. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by QMC (Pointe Claire) as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarant: \_\_\_\_\_  
 City of Brockville  
 January AD 2008  
 (Affix Official seal to the right)

USE THIS SPACE FOR THE OFFICIAL SEAL



This registration must be revalidated after ten (10) years from the date of registration.  
 0412096-5  
 250

- Notes:**
1. All fittings shall be registered in the name of the Manufacturer.
  2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
  3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- A. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK  
NUUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: **Outokumpu Stainless Tubular Products Oy Ab**

MANUFACTURERS ADDRESS: **Nordanvagen 11 P.O. Box 15 FIN-001601 JAKOBSTAD, FINLAND**

PLANT LOCATIONS: **Jakobstad and Vetell, Finland**

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY

A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers  
 B Flanges: all flanges  
 C Valves: all the valves  
 D Expansion joints, flexible connections, and hose assemblies: all types  
 E Strainers, filters, separators, and steam traps  
 F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters  
 G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and flexible plugs  
 H Pressure retaining components that do not fall into one of the above categories  
 N Nuclear components: Class 1  Class 2  Class 3  (Meeting ASME or ASME requirements)

WILL OF THE MATERIALS OF CONSTRUCTION

AISA 774  
AISA 403  
ANSI B16.9  
SP 43

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT

**OUTOKUMPU**

TYPE OF CONSTRUCTION

FORGED  WELDED  WROUGHT   
 CAST  OTHER   
 SPECIFIC OTHER:

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:

8" Sch10 Burst Proof Test.  
Theoretical Burst Test Chart, OSTP Catalogue, ISO Certification

DECLARATION: **Bengt Rabacka and Ben Sventors**  
 (as per ) employed by **OSTP Oy Ab** and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by **TUV Cert Body** as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: *[Signature]*

Declared before me at \_\_\_\_\_

This \_\_\_\_\_ day of \_\_\_\_\_ AD.

Commissioner of Oaths  
or Notary Public: (sign) \_\_\_\_\_

(Affix Official seal to the right)

USE THIS SPACE FOR THE OFFICIAL SEAL

This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0A12096-5

FIDS: 250

Notes:

1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported by a Uniform Statutory Declaration form and one copy of supporting documentation.
3. The operation shall be made by the person having the authority and responsibility for the quality of the end product.
4. Quality control programs shall be submitted for validation at a maximum interval of five (5) years.

*[Signature]*  
 Bengt Rabacka & Ben Sventors  
 Outokumpu Stainless Tubular Products Oy Ab  
 27th Feb 08  
 59 92

\$100.00

REGISTERED  
 UNDER THE AUTHORITY OF  
 THE BOILER AND PRESSURE  
 VESSEL ACT  
 C.R.N. 0A12096-5  
 SIGNED: *[Signature]*  
 DATE: MARCH 28, 08

No: 23/2008  
 Fee: 6,50 €

**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURER'S NAME: Autokummu Stainless Tubular Products Oy Ab

MANUFACTURER'S ADDRESS: Viktoriaa, Sjoaaden 10, Box 203 SE-891 25 Omskoldsvik, Sweden

PLANT LOCATION: Omskoldsvik, Sweden

- Flanges: all flanges
- Valves: all line valves
- Expansion joints, flexible connections, and hose assemblies: all types
- Strainers, filters, separators, and steam traps
- Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
- Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
- Pressure retaining components that do not fall into one of the above categories
- Nuclear components: Class 1  Class 2  Class 3  (Meeting AECS or ASME requirements)

FOR THE BOARD OF REGISTERED DESIGNERS

A/SA 774  
A/SA 403  
A/SA 815  
ANSI B16.9  
SP 43

SHOW MANUFACTURER'S NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT



TYPE OF CONSTRUCTION

FORGED  WELDED  WROUGHT   
CAST  OTHER   
DESCRIBE OTHER:


LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:

24 & 6" Elbows, 18 x 16" Reducer, 12" Tee w/ caps Burst Proof Test  
Theoretical Burst Test Chart, OSTP Catalogue, ISO Certification

**DECLARATION:**

I, [Signature], in my capacity as [Title] of the [Company Name], hereby declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure, temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to work plant where fabrication occurs in whole or in part and has been verified by [Signature] as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if sworn to before a court of law.

Signature of Declarer: [Signature]  
Declared before me at [Location]  
This [Date] day of [Month] 19[Year]  
Commissioner of Oaths  
or Notary Public: (sign) [Signature]



This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of effectiveness

CRN: 0A12096.5  
FICR: 250

Notes:  
1. All fittings shall be registered in the name of the Manufacturer.  
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

**NUNAVUT**  
Boilers and  
Pressure Vessels Act

**REGISTERED**

CRN 0A12096.5 N  
Date 17/03/08  
Signed [Signature]  
Chief Inspector

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK  
NUUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Outokumpu Stainless Tubular Products Oy Ab

MANUFACTURERS ADDRESS: Nordanvagen 11, P.O. Box 15, FIN-68601 JAKOBSTAD, FINLAND

PLANT LOCATIONS: Jakobstad and Veteli, Finland

- CATEGORY OF FITTINGS TO BE REGISTERED, CIRCLE ONE CATEGORY ONLY
- A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
  - B Flanges: all flanges
  - C Valves: all line valves
  - D Expansion joints, flexible connections, and nose assemblies: all types
  - E Strainers, filters, separators, and steam traps
  - F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
  - G Certified standardized pressure relief devices operable as primary over pressure protection on boilers, pressure vessels, piping and hisible plugs
  - H Pressure retaining components that do not fall into one of the above categories
  - N Nuclear components: Class 1  Class 2  Class 3  (Meeting AECB or ASME requirements)

TITLE OF THE APPLICATIVE CONSTRUCTION

AISA 774  
AISA 403  
ANSI B16.9  
SP 43

HOW MANUFACTURED MADE TRADEMARK OR DESIGN AS IT WILL APPEAR ON THE PRODUCT



TYPE OF CONSTRUCTION  
FORGED  WELDED  WROUGHT   
CAST  OTHER

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:

8" Sch10 Burst Proof Test.  
Theoretical Burst Test Chart, OSTP Catalogue, ISO Certification

DECLARATION: Bengt Riebacker and Dan Snopce  
(see note 1) employed by OSTP Oy Ab and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the relevant national standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by TUV Cert Body as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]  
Declared before me at \_\_\_\_\_  
This \_\_\_\_\_ day of \_\_\_\_\_ AD \_\_\_\_\_  
Commissioner of Oaths  
or Notary Public: (sign) \_\_\_\_\_  
(Affix Official seal to the right)


USE THIS SPACE FOR THE OFFICIAL SEAL

This space for Regulatory Authority use  
This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0A12096 5  
FILE: 250

Notes:  
1. All fittings shall be registered in the name of the Manufacturer.  
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

Bengt Riebacker & Dan Snopce  
Outokumpu Stainless Tubular Products  
2th Feb 08  
59 46



REGISTERED

CRN 0A12096 5 N  
Date 17/03/08

Ms 33/6008  
Fee: 6,50 €

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Outokumpu Stainless Tubular Products Ltd.

MANUFACTURERS ADDRESS: 180 Laurier Blvd, Brockville ON, K6V 5T7

PLANT LOCATIONS: Brockville Ontario, Canada

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE OR CHECK ONLY

A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers  
 B Flanges: all flanges  
 C Valves: all line valves  
 D Expansion joints, flexible connections, and hose assemblies: all types  
 E Strainers, filters, separators, and steam traps  
 F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters  
 G Sealed capacity vessel pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fuel/oil plugs  
 H Pressure retaining components that do not fall into one of the above categories  
 I Other components, Class 1 or Class 2 or Class 3 L, (Meeting ASME or ASME requirements)

LIST OF STANDARDS OF CONSTRUCTION

A/SA 403  
A/SA 815  
ANSI B16.9  
SP 43  
A/SA 774

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT



TYPE OF CONSTRUCTION

FORGED  WELDED  WROUGHT   
CAST  OTHER   
DESCRIBE OTHER

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:

24 & 6" Elbows, 18 x 16" Reducer, 12 x 6" Reducer, 12" Tee w/ caps Burst Proof Test.  
Theoretical Burst Test Chart, OSIP Catalogue, ISO Certification

DECLARATION:  
I, KELI'S ROOSIAD (your name) employed by OSTIP LTD. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by QMI (QUALITY) as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing the effect of the same force and effect as if made under oath.

Signature of Declarer: [Signature]  
City of Brockville  
Month of January AD 2008  
Name: [Signature]  
(PLEASE PRINT NAME AND TITLE)

USE THIS SPACE FOR THE OFFICIAL SEAL

This registration must be revalidated after ten (10) years from the date of acceptance.

REGISTRATION NO: 0A12096.5  
CLASSIFICATION: 250

**NUNAVUT**  
Boilers and Pressure Vessels Act

**REGISTERED**

CRN: 0A12096.5N  
Date: 17/03/08  
Signed: [Signature]  
Chief Inspector

- Notes:
- All fittings shall be registered in the name of the manufacturer.
  - Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
  - The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
  - Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.