



TECHNICAL STANDARDS & SAFETY AUTHORITY
 14th Floor, Centre Tower
 3300 Bloor Street West
 Toronto, Ontario
 Canada M8X 2X4

Show facsimile of manufacturer's logo or trademark, as it will appear on the fitting, in the space below

OUTOKUMPU

STATUTORY DECLARATION
Registration of Fittings

I, Kris Podsiad, Plant Manager
(Name and Position, e.g. President, Plant Manager, Chief Engineer)

of Outokumpu Stainless Tubular Products Ltd.
(Name of Manufacturer)

Located at 180 Laurier Blvd, Brockville Ontario Canada 613 345 5502 613 345 0160
(Plant Address) (Telephone No.) (Fax No.)

do solemnly declare that the fittings listed hereunder, which are subject to the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, comply with all of the requirements of A/SA 403, A/SA 774, A/SA 815, B16.9, SP-43

(Title of recognized North American Standard)

which specifies the dimensions, materials of construction, pressure/temperature ratings, identification marking the fittings and service;

or are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with _____ as supported by the attached data which identifies the dimensions, material of construction, pressure/temperature ratings and the basis for such ratings, the marking of the fitting for identification and service.

I further declare that the manufacture of these fittings is controlled by a quality system meeting the requirements of ISO 9001:2000 which has been verified by the following authority, QMI

The items covered by this declaration, for which I seek registration, are category Butt Welded type fittings. In support of this application, the following information and/or test data are attached as follows:

24" & 6" Elbow, 18 x 16" Reducer, 12 x 6" Reducer, 12" Tee with CapsBurst Proof Test, Outokumpu Catalogue

(drawings, calculations, test reports, etc.)

Declared before me at City of Brockville in the Province of Ontario

the 25th day of January AD 2008

Commissioner for Oaths:

NEVILLE C. JOHNSTON
(Printed name)

[Signature]
(Signature)

NOTARY PUBLIC

[Signature]
(Signature of Declarer)

FOR OFFICE USE ONLY

To the best of my knowledge and belief, the application meets the requirements of the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, and CSA Standard B51 and is accepted for registration in Category A

CRN: 0A/2096.5
 Registered by: MARK VALCIC, P.ENG.
 Dated: FEB. 29, 2008

NOTE: This registration expires on MARCH 1, 2018

Technical Standards and Safety Authority

Boilers and Pressure Vessels Safety Program

REGISTERED

CRN: 0A/2096.5
 Signed: [Signature]
 Date: FEB. 29, 2008

NOTE: SEE ATTACHMENT FOR THE SCOPE OF REGISTRATION. [Signature]

Scanadanavian & North American Supply Chain CRN

Elbows

Range Sold	Size Range Covered	Thickness Range Sold		Thickness Range Covered		Manufacturer	Material	Standard	Proof Test		Burst info	Submitted	Complete
		0.156	0.375	0.055	1.308				24	0.218			
12 - 36"	12	0.156	0.375	0.055	1.308	Brockville	316/304L	A/SA 403 - 774 - 815/ MSS SP 43 / ANSI B16.9	24	sch5s	0.218	yes	
12 - 36"	12	0.134	0.375	0.055	1.308	Brockville	Duplex	A/SA 403 - 774 - 815/ MSS SP 43 / ANSI B16.9	24	sch5s	0.218	yes	
6 - 12"	3	0.083	0.375	0.034	0.804	Brockville	316/304L	A/SA 403 - 774 - 815/ MSS SP 43 / ANSI B16.9	6	sch10s	0.134	yes	
6 - 12"	3	0.083	0.364	0.034	0.804	Brockville	Duplex	A/SA 403 - 774 - 815/ MSS SP 43 / ANSI B16.9	6	sch10s	0.134	yes	
12 - 36"	12	0.156	0.500	0.055	1.308	Ovik Sweden	316/304L	A/SA 403 - 774 - 815/ MSS SP 43 / ANSI B16.9	24	sch5s	0.218	yes	
12 - 36"	12	0.134	0.375	0.055	1.308	Ovik Sweden	Duplex	A/SA 403 - 774 - 815/ MSS SP 43 / ANSI B16.9	24	sch 5s	0.218	yes	
3 - 12"	3	0.083	0.375	0.034	0.804	Ovik Sweden	316/304L	A/SA 403 - 774 - 815/ MSS SP 43 / ANSI B16.9	6	sch10s	0.134	yes	
3 - 12"	3	0.083	0.375	0.034	0.804	Ovik Sweden	Duplex	A/SA 403 - 774 - 815/ MSS SP 43 / ANSI B16.9	6	sch10s	0.134	yes	
4 - 16"	4	0.083	0.375	0.037	0.888	J - Stad Finland	316/304L	A/SA 403 - 774 / MSS SP 43 / ANSI B16.9	8	sch10s	0.148	yes	

THIS IS PART OF
CRN 01/09/06
 Technical Standards & Safety Authority
 Safety Program
 Boilers & Pressure Vessels
 WMCW - FEB 11 2008

Concs / Eccs Reducers

Range Sold	Size Range Covered		Thickness Range Covered		Manufacturer	Material	Standard ANSI B16.9	Proof Test Size		Proof Test		
	8	36	0.148	0.375				0.041	0.990	16	18	Wall
8 - 36"	8	36	0.148	0.375	Brockville	316/304L	A/SA 403 - 774 - 815/ MSS SP 43 / ANSI B16.9	16	18	sch 5s	0.165	yes
8 - 36"	8	36	0.148	0.375	Brockville	Duplex	A/SA 403 - 774 - 815/ MSS SP 43 / ANSI B16.9	16	18	sch 5s	0.165	yes
3 - 24"	3	12	0.120	0.375	Brockville	316/304L	A/SA 403 - 774 - 815/ MSS SP 43 / ANSI B16.9	6	12	sch10s	0.180	yes
3 - 24"	3	12	0.120	0.375	Brockville	Duplex	A/SA 403 - 774 - 815/ MSS SP 43 / ANSI B16.9	6	12	sch10s	0.180	yes
8 - 36"	8	32	0.148	0.375	Ovik	316/304L	A/SA 403 - 774 - 815/ MSS SP 43 / ANSI B16.9	16	18	sch 5s	0.165	yes
8 - 36"	8	32	0.148	0.375	Ovik	Duplex	A/SA 403 - 774 - 815/ MSS SP 43 / ANSI B16.9	16	18	sch 5s	0.165	yes

THIS IS PART OF
CRN 01000965
 Technical Standards & Safety Authority
 Boilers & Pressure Vessels
 Safety Program
 WCN Feb 29/20

Tees

Size Sold	Size Range Covered	Thickness Range Sold	Thickness Range Covered	Manufacturer	Material	Standard ANSI B16.9	Proof Test Size	Proof Test Wall	Burst info	Submitted	Complete
8 - 24"	6 24	0.148 0.375	0.045 1.080	Brockville	316/304L	A/SA 403 - 774 - 815/MSS SP 43 / ANSI B16.9	12 sch10S	0.180	yes		
8 - 24"	6 24	0.148 0.375	0.045 1.080	Brockville	Duplex	A/SA 403 - 774 - 815/MSS SP 43 / ANSI B16.9	12 sch10S	0.180	yes		
8 - 24"	6 24	0.148 0.375	0.045 1.080	Ovik	316/304L	A/SA 403 - 774 - 815/MSS SP 43 / ANSI B16.9	12 sch10S	0.180	yes		
8 - 24"	6 24	0.148 0.375	0.045 1.080	Ovik	Duplex	A/SA 403 - 774 - 815/MSS SP 43 / ANSI B16.9	12 sch10S	0.180	yes		

Caps

Size Sold	Size Range Covered	Thickness Range Sold	Thickness Range Covered	Manufacturer	Material	Standard ANSI B16.9	Proof Test Size	Proof Test Wall	Burst info	Submitted	Complete
8 - 24"	6 24	0.008 0.375	0.045 1.080	Brockville	316/304L	A/SA 403 - 774 - 815/MSS SP 43 / ANSI B16.9	12 sch10S capped 12 12" tee	0.180	yes		
8 - 24"	6 24	0.134 0.375	0.045 1.080	Brockville	Duplex	A/SA 403 - 774 - 815/MSS SP 43 / ANSI B16.9	12 sch10S capped 12 12" tee	0.180	yes		
8 - 24"	6 24	0.134 0.375	0.045 1.080	Ovik	316/304L	A/SA 403 - 774 - 815/MSS SP 43 / ANSI B16.9	12 sch10S capped 12 12" tee	0.180	yes		
8 - 24"	6 24	0.134 0.375	0.045 1.080	Ovik	Duplex	A/SA 403 - 774 - 815/MSS SP 43 / ANSI B16.9	12 sch10S capped 12 12" tee	0.180	yes		

THIS IS PART OF
 CRN # 11096.5
 Technical Standards & Safety Authority
 Safety Program
 Boilers & Pressure Vessels
 M. J. ... FEB 20 2008



TECHNICAL STANDARDS & SAFETY AUTHORITY
 14th Floor, Centre Tower
 3300 Bloor Street West
 Toronto, Ontario
 Canada M8X 2X4

Show facsimile of manufacturer's logo or trademark, as it will appear on the fitting, in the space below

OUTOKUMPU

**STATUTORY DECLARATION
 Registration of Fittings**

I, Bengt Råbacka, Plant Manager and I, Ben Svenfors, Personnel Manager
(Name and Position, e.g. President, Plant Manager, Chief Engineer)

of Outokumpu Stainless Tubular Products Oy Ab
(Name of Manufacturer)

Located at Nordanvägen 11, P.O. Box 15, FIN-68601 JAKOBSTAD, FINLAND + 358 6 786 5111 + 358 6 786 5222
(Plant Address) (Telephone No.) (Fax No.)

do solemnly declare that the fittings listed hereunder, which are subject to the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, comply with all of the requirements of A/SA 403, A/SA 774, A/SA 815, B 16.9, SP-43
(Title of recognized North American Standard)

which specifies the dimensions, materials of construction, pressure/temperature ratings, identification marking the fittings and service;

or are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with as supported by the attached data which identifies the dimensions, material of construction, pressure/temperature ratings and the basis for such ratings, the marking of the fitting for identification and service.

I further declare that the manufacture of these fittings is controlled by a quality system meeting the requirements of ISO 9001:2000 which has been verified by the following authority, TÜV Certification Body

The items covered by this declaration, for which I seek registration, are category butt welded type fittings. In support of this application, the following information and/or test data are attached as follows:
8" sch 10S burst proof test, theoretical burst test chart, OSTP catalogue, ISO 9001:2000 certification
(drawings, calculations, test reports, etc.)

Technical Standards and Safety Authority	Boilers and Pressure Vessels Safety Program
REGISTERED	
CRN: 0A12096.5	
Signed: <i>[Signature]</i>	
Date: FEB. 29, 2008	

Declared before me at _____ in the _____
 the _____ day of _____ AD 20____.

Commissioner for Oaths:

(Printed name)

(Signature)

[Signature]
(Signature of Declarer)

FOR OFFICE USE ONLY

To the best of my knowledge and belief, the application meets the requirements of the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, and CSA Standard B51 and is accepted for registration in Category A1

CRN: 0A12096.5
 Registered by: MARK VALCIC, P.ENG.
 Dated: FEB. 29, 2008

This is to certify that Bengt Råbacka & Ben Svenfors
 are duly authorized to sign for and on behalf of Outokumpu Stainless Tubular Products
 By virtue of office: [Signature] **FEB 29 2008**

NOTE: This registration expires on MARCH 1, 2008

NOTARY PUBLIC
 District Registrar
 Maria Lunz



NOTE: SEE ATTACHMENT FOR THE SCOPE OF REGISTR. A/B/C

Handwritten notes:
 W = 88 / 2008
 T = 6.57

Scandinavian & North American Supply Chain CRN

Elbows

Range Solid	Size Range Covered	Thickness		Thickness Range Covered	Manufacturer	Material	Standard	Proof Test		Burst info	Submitted	Complete
		Range Sold	Range Covered					Proof Test Size	Wall			
12 - 36"	12	0.156	0.375	0.055	1.308	Brockville	A/SA 403 - 774 - 815/ MSS SP 43 / ANSI B16.9	24	sch5s	0.218	yes	
12 - 36"	12	0.134	0.375	0.055	1.308	Brockville	A/SA 403 - 774 - 815/ MSS SP 43 / ANSI B16.9	24	sch5s	0.218	yes	
6 - 12"	3	0.083	0.375	0.034	0.804	Brockville	A/SA 403 - 774 - 815/ MSS SP 43 / ANSI B16.9	6	sch10s	0.134	yes	
6 - 12"	3	0.083	0.364	0.034	0.804	Brockville	A/SA 403 - 774 - 815/ MSS SP 43 / ANSI B16.9	6	sch10s	0.134	yes	
12 - 36"	12	0.156	0.500	0.055	1.308	Ovik Sweden	A/SA 403 - 774 - 815/ MSS SP 43 / ANSI B16.9	24	sch5s	0.218	yes	
12 - 36"	12	0.134	0.375	0.055	1.308	Ovik Sweden	A/SA 403 - 774 - 815/ MSS SP 43 / ANSI B16.9	24	sch 5s	0.218	yes	
3 - 12"	3	0.083	0.375	0.034	0.804	Ovik Sweden	A/SA 403 - 774 - 815/ MSS SP 43 / ANSI B16.9	6	sch10s	0.134	yes	
3 - 12"	3	0.083	0.375	0.034	0.804	Ovik Sweden	A/SA 403 - 774 - 815/ MSS SP 43 / ANSI B16.9	6	sch10s	0.134	yes	
4 - 16"	4	0.083	0.375	0.037	0.888	J - Stad Finland	A/SA 403 - 774 / MSS SP 43 / ANSI B16.9	8	sch10s	0.148	yes	

THIS IS PART OF
CRN 0A/2096.5
 Technical Standards & Safety Authority
 Boilers & Pressure Vessels
 Safety Program

WAL FEB. 09 / 08

Concs / Eccs Reducers

Range Sold	Size Range Covered		Thickness Range Covered		Manufacturer	Material	Standard ANSI B16.9	Proof Test Size			Proof Test		
	8	36	0.148	0.375				0.041	0.990	16	18	sch 5s	Wall
8 - 36"	8	36	0.148	0.375	0.041	0.990	A/SA 403 - 774 - 815/ MSS SP 43 / ANSI B16.9	16	18	sch 5s	0.165	yes	
8 - 36"	8	36	0.148	0.375	0.041	0.990	A/SA 403 - 774 - 815/ MSS SP 43 / ANSI B16.9	16	18	sch 5s	0.165	yes	
3 - 24"	3	12	0.120	0.375	0.045	0.540	A/SA 403 - 774 - 815/ MSS SP 43 / ANSI B16.9	6	12	sch 10s	0.180	yes	
3 - 24"	3	12	0.120	0.375	0.045	0.540	A/SA 403 - 774 - 815/ MSS SP 43 / ANSI B16.9	6	12	sch 10s	0.180	yes	
8 - 36"	8	32	0.148	0.375	0.041	0.495	A/SA 403 - 774 - 815/ MSS SP 43 / ANSI B16.9	16	18	sch 5s	0.165	yes	
8 - 36"	8	32	0.148	0.375	0.041	0.495	A/SA 403 - 774 - 815/ MSS SP 43 / ANSI B16.9	16	18	sch 5s	0.165	yes	

THIS IS PART OF
CRN 6A12096.5
Technical Standards & Safety Authority
Boilers & Pressure Vessels
Safety Program
W/Car FEB. 09 / 08

Tees

Size Sold	Size Range Covered	Thickness		Thickness Range Covered		Manufacturer	Material	Standard ANSI B16.9	Proof Test Size		Proof Test Wall	Burst info	Submitted	Complete
		Range Sold	Range Covered	Covered	Covered									
8 - 24"	6 24	0.148	0.375	0.045	1.080	Brockville	316/304L	A/SA 403 - 774 - 815/ MSS SP 43 / ANSI B16.9	12	sch10S	0.180	yes		
8 - 24"	6 24	0.148	0.375	0.045	1.080	Brockville	Duplex	A/SA 403 - 774 - 815/ MSS SP 43 / ANSI B16.9	12	sch10S	0.180	yes		
8 - 24"	6 24	0.148	0.375	0.045	1.080	Ovik	316/304L	A/SA 403 - 774 - 815/ MSS SP 43 / ANSI B16.9	12	sch10S	0.180	yes		
8 - 24"	6 24	0.148	0.375	0.045	1.080	Ovik	Duplex	A/SA 403 - 774 - 815/ MSS SP 43 / ANSI B16.9	12	sch10S	0.180	yes		

Caps

Size Sold	Size Range Covered	Thickness		Thickness Range Covered		Manufacturer	Material	Standard ANSI B16.9	Proof Test Size		Proof Test Wall	Burst info	Submitted	Complete
		Range Sold	Range Covered	Covered	Covered									
8 - 24"	6 24	0.008	0.375	0.045	1.080	Brockville	316/304L	A/SA 403 - 774 - 815/ MSS SP 43 / ANSI B16.9	12 12" tee	sch10S capped	0.180	yes		
8 - 24"	6 24	0.134	0.375	0.045	1.080	Brockville	Duplex	A/SA 403 - 774 - 815/ MSS SP 43 / ANSI B16.9	12 12" tee	sch10S capped	0.180	yes		
8 - 24"	6 24	0.134	0.375	0.045	1.080	Ovik	316/304L	A/SA 403 - 774 - 815/ MSS SP 43 / ANSI B16.9	12 12" tee	sch10S capped	0.180	yes		
8 - 24"	6 24	0.134	0.375	0.045	1.080	Ovik	Duplex	A/SA 403 - 774 - 815/ MSS SP 43 / ANSI B16.9	12 12" tee	sch10S capped	0.180	yes		

THIS IS PART OF
CRN 0A10096.5
 Technical Standards & Safety Authority
 Boilers & Pressure Vessels
 Safety Program

Wah FEB. 19/08



TECHNICAL STANDARDS & SAFETY AUTHORITY
 14th Floor, Centre Tower
 3300 Bloor Street West
 Toronto, Ontario
 Canada M8X 2X4

Show facsimile of manufacturer's logo or trademark, as it will appear on the fitting, in the space below

OUTOKUMPU

STATUTORY DECLARATION
Registration of Fittings

I, Per-Anders Sundstrom, Quality Manager
 (Name and Position, e.g. President, Plant Manager, Chief Engineer)

of Outokumpu Stainless Tubular Products Ltd.
 (Name of Manufacturer)

Located at Viktoriaesplaaden 10, Box 203 SE-891 25 Ornskoldsvik, Sweden 46 660 57753 46 660 85295
 (Plant Address) (Telephone No.) (Fax No.)

do solemnly declare that the fittings listed hereunder, which are subject to the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, comply with all of the requirements of
A/SA 403, A/SA 774, A/SA 815, B16.9, SP-43

(Title of recognized North American Standard)

which specifies the dimensions, materials of construction, pressure/temperature ratings, identification marking the fittings and service;

or are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with _____ as supported by the attached data which identifies the dimensions, material of construction, pressure/temperature ratings and the basis for such ratings, the marking of the fitting for identification and service.

I further declare that the manufacture of these fittings is controlled by a quality system meeting the requirements of ISO 9001:2000 which has been verified by the following authority, TUV Certification Body

The items covered by this declaration, for which I seek registration, are category Butt Welded type fittings. In support of this application, the following information and/or test data are attached as follows:
24" & 6" Elbow, 18 x 16" Reducer, 12" Tee with Caps Burst Proof Test, Outokumpu & OSTP Catalogue

(drawings, calculations, test reports, etc.)

Declared before me at Ornskoldsvik in the Province of Vasternorrland

the 15th day of February

Commissioner for Oaths:
Jeanette Nordin
 (Printed name)
Jeanette Nordin
 (Signature)



Per-Anders Sundstrom
 Technical Standards and Safety Authority
 Signature of Declarant
 Boilers and Pressure Vessels Safety Program

REGISTERED
 C.R.N.: 0A/2096.5
 Signed: Wai
 Date: FEB. 29, 2008

FOR OFFICE USE ONLY
 To the best of my knowledge and belief, the application meets the requirements of the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, and CSA Standard B51 and is accepted for registration in Category 'A'

CRN: 0A/2096.5
 Registered by: Mark Valcic, P.ENG.
 Dated: FEB. 29, 2008

NOTE: This registration expires on MARCH 1, 2018

NOTE: SEE ATTACHMENT FOR THE SCOPE OF REGISTRATION
Wai

Scanadanavian & North American Supply Chain CRN

Elbows

Range Sold	Size Range Covered	Thickness		Thickness Range Covered	Manufacturer	Material	Standard	Proof Test		Burst info	Submitted	Complete
		Range Sold	Range Covered					Size	Wall			
12 - 36"	12 48	0.156	0.375	0.055 1.308	Brockville	316/304L	A/SA 403 - 774 - 815 / MSS SP 43 / ANSI B16.9	24 sch5s	0.218	yes		
12 - 36"	12 48	0.134	0.375	0.055 1.308	Brockville	Duplex	A/SA 403 - 774 - 815 / MSS SP 43 / ANSI B16.9	24 sch5s	0.218	yes		
6 - 12"	3 12	0.083	0.375	0.034 0.804	Brockville	316/304L	A/SA 403 - 774 - 815 / MSS SP 43 / ANSI B16.9	6 sch10s	0.134	yes		
6 - 12"	3 12	0.083	0.364	0.034 0.804	Brockville	Duplex	A/SA 403 - 774 - 815 / MSS SP 43 / ANSI B16.9	6 sch10s	0.134	yes		
12 - 36"	12 48	0.156	0.500	0.055 1.308	Ovik Sweden	316/304L	A/SA 403 - 774 - 815 / MSS SP 43 / ANSI B16.9	24 sch5s	0.218	yes		
12 - 36"	12 48	0.134	0.375	0.055 1.308	Ovik Sweden	Duplex	A/SA 403 - 774 - 815 / MSS SP 43 / ANSI B16.9	24 sch 5s	0.218	yes		
3 - 12"	3 12	0.083	0.375	0.034 0.804	Ovik Sweden	316/304L	A/SA 403 - 774 - 815 / MSS SP 43 / ANSI B16.9	6 sch10s	0.134	yes		
3 - 12"	3 12	0.083	0.375	0.034 0.804	Ovik Sweden	Duplex	A/SA 403 - 774 - 815 / MSS SP 43 / ANSI B16.9	6 sch10s	0.134	yes		
4 - 16"	4 16	0.083	0.375	0.037 0.888	J - Stad Finland	316/304L	A/SA 403 - 774 / MSS SP 43 / ANSI B16.9	8 sch10s	0.148	yes		

THIS IS PART OF
CRN 0100965
 Technical Standards & Safety Authority
 Boilers & Pressure Vessels
 Safety Program
WAC FEB. 19 08

Concs / Eccs Reducers

Range Sold	Size Range Covered		Thickness Range Covered		Manufacturer	Material	Standard ANSI B16.9	Proof Test			Burst info Submitted Complete		
	Size Range Covered	Thickness Range Sold	Thickness Range Covered	Proof Test Size				Wall					
8 - 36"	8	36	0.148	0.375	0.041	0.990	316/304L	A/SA 403 - 774 - 815/ MSS SP 43 / ANSI B16.9	16	18	sch 5s	0.165	yes
8 - 36"	8	36	0.148	0.375	0.041	0.990	Duplex	A/SA 403 - 774 - 815/ MSS SP 43 / ANSI B16.9	16	18	sch 5s	0.165	yes
3 - 24"	3	12	0.120	0.375	0.045	0.540	316/304L	A/SA 403 - 774 - 815/ MSS SP 43 / ANSI B16.9	6	12	sch10s	0.180	yes
3 - 24"	3	12	0.120	0.375	0.045	0.540	Duplex	A/SA 403 - 774 - 815/ MSS SP 43 / ANSI B16.9	6	12	sch10s	0.180	yes
8 - 36"	8	32	0.148	0.375	0.041	0.495	316/304L	A/SA 403 - 774 - 815/ MSS SP 43 / ANSI B16.9	16	18	sch 5s	0.165	yes
8 - 36"	8	32	0.148	0.375	0.041	0.495	Duplex	A/SA 403 - 774 - 815/ MSS SP 43 / ANSI B16.9	16	18	sch 5s	0.165	yes

THIS IS PART OF
CRN 0110965
 Technical Standards & Safety Authority
 Boilers & Pressure Vessels
 Safety Program
 FEB. 19 08
Uhal

Tees

Size Sold	Size Range Covered		Thickness Range Covered		Manufacturer	Material	Standard ANSI B16.9	Proof Test Size		Proof Test Wall	Burst info	Submitted	Complete	
	6	24	0.148	0.375				0.045	1.080					12
8 - 24"	6	24	0.148	0.375	0.045	1.080	Brockville	316/304L	A/SA 403 - 774 - 815/ MSS SP 43 / ANSI B16.9	12	sch10S	0.180	yes	
8 - 24"	6	24	0.148	0.375	0.045	1.080	Brockville	Duplex	A/SA 403 - 774 - 815/ MSS SP 43 / ANSI B16.9	12	sch10S	0.180	yes	
8 - 24"	6	24	0.148	0.375	0.045	1.080	Ovik	316/304L	A/SA 403 - 774 - 815/ MSS SP 43 / ANSI B16.9	12	sch10S	0.180	yes	
8 - 24"	6	24	0.148	0.375	0.045	1.080	Ovik	Duplex	A/SA 403 - 774 - 815/ MSS SP 43 / ANSI B16.9	12	sch10S	0.180	yes	

Caps

Size Sold	Size Range Covered		Thickness Range Covered		Manufacturer	Material	Standard ANSI B16.9	Proof Test Size		Proof Test Wall	Burst info	Submitted	Complete	
	6	24	0.008	0.375				0.045	1.080 <th>12</th> <th>sch10S capped 12" tee</th>					12
8 - 24"	6	24	0.008	0.375	0.045	1.080	Brockville	316/304L	A/SA 403 - 774 - 815/ MSS SP 43 / ANSI B16.9	12	sch10S capped 12" tee	0.180	yes	
8 - 24"	6	24	0.134	0.375	0.045	1.080	Brockville	Duplex	A/SA 403 - 774 - 815/ MSS SP 43 / ANSI B16.9	12	sch10S capped 12" tee	0.180	yes	
8 - 24"	6	24	0.134	0.375	0.045	1.080	Ovik	316/304L	A/SA 403 - 774 - 815/ MSS SP 43 / ANSI B16.9	12	sch10S capped 12" tee	0.180	yes	
8 - 24"	6	24	0.134	0.375	0.045	1.080	Ovik	Duplex	A/SA 403 - 774 - 815/ MSS SP 43 / ANSI B16.9	12	sch10S capped 12" tee	0.180	yes	

THIS IS PART OF
CRN A12096.5
 Technical Standards & Safety Authority
 Boilers & Pressure Vessels
 Safety Program
Mr. Khan FEB. 09 / 08